

Smaart Series Tables

Assembly Instructions

Contents

Smaart™ Table Assembly	2
Parts List	3
Assembly	4
Smaart+™ Table Assembly	5
Parts List	6
Assembly	7
Smaart-Stone™ Table Assembly	8
Parts List	9
Assembly	10
Care & Maintenance	11
Warranty	12



Smaart™ Table Assembly

Café tables made with solid surface, with moisture resistant substrate.

PARTS LIST


PARTS			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	4	CAFEINSERT 161592	INSERT
2	4	CAFE-WSH UW4440000BX0000	STEEL FENDER WASHER
3	4	CAFE-LWSH 33621 DO NOT OVER TIGHTEN! 	STEEL LOCKING WASHER
4	4	CAFE-SCREW 3/8" - 16 x 1"	PHILLIPS HEAD 3/8" - 16 x 1" MACHINE SCREW

Tools and Supplies Required for Assembly [BY OTHERS]

- Phillips head screwdriver
- Allen wrench

Assembly

1. Predrilled inserts in 3/8" deep hole set in plywood with allen wrench till flush with plywood.
2. Place locking washer and fender washer on screw.
3. Install screw and washers through base plate into insert in wood subtop.
4. Hand tighten, do not use a power driver or overtighten. ⚠





Smaart+™ Table Assembly

Café tables made with solid surface, with with no substrate.

PARTS LIST


PARTS			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	4	CAFE-WSH27507	EDPM WASHER
3	4	CAFE-LWSH 1140381	STEEL LOCKING WASHER
4	4	CAFE-SCREW 11510283 DO NOT OVER TIGHTEN! 	PHILLIPS DRIVE PAN HEAD STEEL MACHINE SCREW M6-1.0 x 14mm

Tools and Supplies Required for Assembly [BY OTHERS]

- Phillips head screwdriver

Assembly

1. Place locking washer and fender washer on screw.
2. Insert screw and locking washer through base plate.
3. Place EDPM washer on top of base plate and into insert in cafe table.
4. Hand tighten screws, do not use a power driver or overtighten. ⚠





Smaart-Stone™ Table Assembly

Café tables made with quartz, with with no substrate.

PARTS LIST


PARTS			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	4	CAFE-WSH27507	EDPM WASHER
3	4	CAFE-LWSH 1140381	STEEL LOCKING WASHER
4	4	CAFE-SCREW 11510283 DO NOT OVER TIGHTEN! 	PHILLIPS DRIVE PAN HEAD STEEL MACHINE SCREW M6-1.0 x 14mm

Tools and Supplies Required for Assembly [BY OTHERS]

- Phillips head screwdriver

Assembly

1. Place locking washer and fender washer on screw.
2. Insert screw and locking washer through base plate.
3. Place EDPM washer on top of base plate and into insert in cafe table.
4. Hand tighten screws, do not use a power driver or overtighten. ⚠



Cleaning Techniques & Agents

Caring for Futrus® Solutions built with DuPont™ Corian® Solid Surface

With regular care and maintenance, your Futrus® products will provide a lifetime of service. The instructions for the care and maintenance of Futrus® furnishings are provided as a service. No warranty is implied since results may vary. Futrus® products are constructed of DuPont™ Corian® solid surface. Just follow the simple guidelines listed here to help you keep your Futrus® products looking fresh.

Routine Care

Our furniture is finished with a matte/satin finish. Soapy water, ammonia based cleaners (not window cleaners as they can leave a waxy build up that may dull the surface) or commercially available solid surface cleaners will remove most dirt and residue from all types of finishes. Stubborn residue will require a little stronger cleaner. It is very important to wipe the surface completely dry after spills and cleaning. Some colors of Corian® may require more frequent cleaning to maintain a uniform finish. Darker colors tend to require more attention than lighter colors. Over time, even with proper care, your surface will acquire a patina, changing the appearance of the finish. You may restore the look of the original finish by thoroughly rinsing and wiping your furnishings completely dry after cleaning.

CLEANING

Most Dirt & Residue

Use soapy water, ammonia based cleaner, (not window cleaner) rinse and wipe completely dry. Commercially available solid surface cleaners, such as Clean EnCounters® will also work well.

Preventing Hard Water Marks

Rinse and wipe completely dry after cleaning; clean up spills before they dry.

Removing Hard Water Marks

Use cleaner formulated for removing hard water marks, such as CLR® or Lime-A-Way®.

Difficult Residue

Spray residue with Deep Cleaner for DuPont™ Corian® from Stone Care International. Follow instructions on the bottle. If residue persists, repeat process. Wash area with soapy water, rinse and wipe completely dry. If residue persists, follow steps below for removing dulling film.

Disinfecting

Occasionally wipe surface with dilute household bleach - 1:100 (5 Tbsp. of bleach to 1 gallon of water. As recommended by the Centers For Disease Control and Prevention for disinfection of surfaces.)

*Avoid getting the bleach solution in your eyes or on bare skin. Always follow the bleach manufacturer's safety instructions when working with bleach.

Preventing Heat Damage

While DuPont™ Corian® is heat resistant, as with all solid surface materials, it is important to minimize direct heat exposure to protect your surface and investment. Do not place hot pots, pans, etc. directly on the surface.

Preventing Other Damage

In most cases Corian® can be repaired if damaged. Be sure to follow these guidelines to help you prevent permanent damage to your Corian®. Avoid getting strong chemicals, such as paint removers, oven cleaners, etc., on your Corian®. If a spill does occur, promptly flush the surface with water to fully rinse off the chemical.

Removing Blotchy Appearance Or Fine Scratches

You may notice that the surface of your furnishings begin to look blotchy. Typically this is caused by leaving hard water to dry on the surface which will leave a film of minerals. To remove blotchy appearance or fine scratches:

- Pour some mild abrasive liquid cleanser, such as Soft Scrub®, on a damp sponge or cloth and rub over area using small circular motions, from the front to the back, then side to side, overlapping the circles until the entire area has been cleaned.
- Thoroughly rinse the top with clean water and wipe surface completely dry.
- Check to see if blotchiness is gone. If not, repeat procedure applying more pressure on the sponge or tag.
- Continue over all affected areas until all film is removed.

Note: While this procedure may remove or minimize the look of very fine scratches, other deeper scratches may remain. They may be removed by following the procedure below or contact Futrus® customer service at 1-877-FUTRUS1(388.7871) to inquire about getting a referral for refinishing.

WARRANTY

Futrus warrants to the original end user (OEU) that its products will be free from defects in workmanship or materials for the applicable warranty period. This warranty applies to the OEU and ends upon the sale or transfer of ownership to a third party. Unless otherwise specified in writing, Futrus products include a 1-year limited warranty from the date of substantial completion by a Futrus authorized installer. Some products may have a different warranty period, as noted in sales documentation. Material warranties, such as the Corian® 10-year limited warranty, may also apply see material documentation for details.

Coverage:

- This warranty covers defects in workmanship or materials for the original end user.
- Futrus will repair or replace the product, part, or component at Futrus' expense if warranty work is required.
- Component parts or products not originally produced by Futrus are limited to the warranty of the component manufacturer.

Claim Process:

- Upon written notice to Futrus by the occupant, owner, architect, contractor, or the Futrus authorized representative, an inspection will be made to determine the cause and/or extent of the defects.
- If warranty work is required, Futrus will repair, replace, or refund the product, part, or component at their expense.
- Any product, part, or component must have been installed and used according to Futrus' published instructions. Any misuse, abuse, or modification to the original product voids the warranty.

Exclusions:

- Variations in colors resulting from materials used from different lots.
- Natural wear and tear under normal usage.
- Exposure to extreme environmental conditions or improper shipping or storage.
- Alterations, abuse, or accidental damage.
- Failure to install or maintain the product in accordance with Futrus' published instructions.
- Damage caused by transport, mishandling, misuse, excessive heat, weather conditions, physical or chemical abuse, or acts of nature. Physical, chemical, or other abuse includes unreasonable use, improper cleaning solutions, leaving substances like bleach or drain cleaner on the product without prompt cleaning, dropping heavy objects on surfaces or in sinks, excessive weight on the surface, or not maintaining the product according to the Futrus Care and Use Guide.
- This warranty does not cover costs related to removal, reinstallation, or labor, unless otherwise specified in writing.

Material Warranties:

- Certain materials may carry separate manufacturer warranties (e.g., Corian® solid surface carries a 10-year limited warranty for North America, covering defects in materials arising from the manufacture of Corian® sheet or shape products for a period of ten [10] years from the date of purchase).
- These are product-only warranties, not fabrication and/or installation warranties.

Limitations:

- Futrus' liability for component parts or materials manufactured by others is limited to the warranty of the component manufacturer.
- The warranty period begins at the date of substantial completion when installed by a Futrus authorized installer, unless otherwise specified in writing.
- This document inclusively describes all of the warranties given and remedies available with respect to the company's products and services. It does not cover any consequential or incidental damages, such as a loss of use or time. Futrus' total liability under this warranty is limited to the original purchase price of the product.
- This warranty is applicable only to the specific project for which the products were purchased and installed. Any subsequent projects or installations will require a separate warranty agreement.

This limited warranty is exclusive and in lieu of all other warranties, express or implied, including but not limited to any warranty of merchantability or fitness for a particular purpose.

All warranty claims must be submitted in writing within the applicable warranty period and within a reasonable time after discovery of the defect. Futrus may require return of the product or part for inspection and reserves the right to issue a return materials authorization (RMA) as part of the claims process.

This warranty is governed by the laws of the Commonwealth of Ohio, USA.
For more information or to submit a warranty claim, contact:

Email: info@futrus.com

Phone: 1-877-388-7871

Mail: Warranty Dept, Futrus Solutions, 154 Distl Ave, Mansfield, OH 44902

SMAART SERIES TABLE ASSEMBLY